

From: Sgraves@TechLawInc.com
Sent: 3/15/2012 11:22:36 AM
To: "Richard Rupert/R3/USEPA/US" <Rupert.Richard@epamail.epa.gov>
CC:
Subject: RE: DATA

thanks

Suddha Graves
TechLaw, Inc.

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]
Sent: Thursday, March 15, 2012 11:00 AM
To: Graves, Suddha
Subject: DATA

data

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."
Colin Powell

----- Forwarded by Richard Rupert/R3/USEPA/US on 03/15/2012 10:59 AM -----

From: **Ex. 4 - CBI** @lmco.com>
To: Richard Rupert/R3/USEPA/US
Date: 03/15/2012 10:35 AM
Subject: RE: EXTERNAL: excell question

Rich,
Attached is summary data as requested.
Scott

From: Richard Rupert [Rupert.Richard@epamail.epa.gov]
Sent: Wednesday, March 14, 2012 2:35 PM
To: **Ex. 4 - CBI**
Subject: RE: EXTERNAL: excell question
works for me. thanks

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office

215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."

Colin Powell

From: **Ex. 4 - CBI** <[REDACTED]@lmco.com>
To: Richard Rupert/R3/USEPA/US
Date: 03/14/2012 02:31 PM
Subject: RE: EXTERNAL: excell question

Rich,

Sandy was working on that spreadsheet already. I will give her the spreadsheet is sent you and she will combine it with what she was working on and get it to you when it is completed.

Ex. 4 - CBI

From: Richard Rupert [Rupert.Richard@epamail.epa.gov]
Sent: Wednesday, March 14, 2012 2:08 PM
To: **Ex. 4 - CBI**
Cc: kelly.chase@epa.gov
Subject: RE: EXTERNAL: excell question

Scott,

Can you include the residents name, and all metals and anion and cations into one spreadsheet please? I need this document as soon as you can fit it in....

Please call me on my mobile number below with any questions.

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."

Colin Powell

From: **Ex. 4 - CBI** <[REDACTED]@lmco.com>
To: Richard Rupert/R3/USEPA/US
Date: 03/14/2012 02:03 PM
Subject: RE: EXTERNAL: excell question

Attached is a spreadsheet summary of the Dimock YSI data provided by Suddha.

Thanks,

Scott

From: Richard Rupert [Rupert.Richard@epamail.epa.gov]
Sent: Wednesday, March 14, 2012 5:58 AM
To: **Ex. 4 - CBI**
Subject: RE: EXTERNAL: excell question

Sorry **Ex. 4 - CBI** I thought it was you who showed me how to turn of the boxes....

I tried you directions below and they didn't work... don't worry about it. they are just a minor annoyance..

Richard Rupert,

On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."

Colin Powell

From: [redacted] **Ex. 4 - CBI** <lmco.com>
To: Richard Rupert/R3/USEPA/US
Date: 03/13/2012 06:49 PM
Subject: RE: EXTERNAL: excell question

Rich,

Not sure it was me that showed you how to do it, but think I know how to turn it off. First highlight Row 1 and then click on "Data" in the header on Excel. Under Data Tools you should see a Data Validation box. Under the "Settings" menu you should see the word "Allow:" with a drop down menu below it. Click on drop down menu and select "Any Value", it is probably set to the word "List" currently.

[redacted] **Ex. 4 - CBI**

Lockheed Martin SERAS
2890 Woodbridge Ave.
Edison, NJ 08837

[redacted] **Ex. 4 - CBI**

From: Richard Rupert [<mailto:Rupert.Richard@epamail.epa.gov>]
Sent: Tuesday, March 13, 2012 3:46 PM
To: [redacted] **Ex. 4 - CBI**

Subject: EXTERNAL: excell question

[redacted] **Ex. 4 - CBI** you showed me how to turn off the little arrow in the box last week and I have forgotten how this was done. Could you please tell me again?

thanks

Rich

I am talking about the small box in the lower right hand corner of the boxes in row 1...

[cid: 1_0844316808442C6C0036CF59852579C1]

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov <<mailto:rupert.richard@epa.gov>>

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."

Colin Powell

[attachment "ATT00001.gif" deleted by Richard Rupert/R3/USEPA/US] [attachment "Dimock_YSI data for Scribe.xlsx" deleted by Richard Rupert/R3/USEPA/US]